# The classic locker: S 2000 CLASSIC

#### The Classic ventilation concept:

works perfectly even in this locker variant due to the recessed base – and provides much better ventilation than required by the DIN 4547 standard!






The ventilation openings in the back of the locker base ensure optimum air circulation and drying in the compartment (see diagram). In lockers with bases, ventilation is ensured via openings above the recessed base.



For additional furnishing examples from a market leader, please see the Classic product series brochures or our website at www.cp.de/classic





**Turning bolt latch:** for padlocks with a bolt size of 4.5 to 6.5 mm



**Cylinder lock:** with two keys, also available as a master key system.



**SAFE-O-MAT lock:** as a deposit or token-operated lock with twin coin function.



Clasic

**Sturdy steel construction:**Doors hinged on the right, mounted on fulcrum pins with center reinforcement for high stability, vent slots, and stamped-in label holder.

# Lockers





Lockers ...... 30



Multipurpose lockers...... 38



Double-tier lockers ..... 40



Assembled box lockers...... 42



Attachable storage shelf and sturdy wardrobe rail made of oval profile: with 3 twist-proof sliding hooks for each compartment.



**Bottom of compartment can** be swept out smoothly: (models 8030 and 8040 with cleaning openings).



**Locker feet made of plastic:** increased protection against corrosion of the locker!



Height adjustment of the locker feet: optional, see page 49.

# S 2000 CLASSIC

#### The S 2000 Classic series offers:

- Sturdy steel construction with high-quality enamel coating
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, or bench
- Ventilation via CVL (Classic Ventilation Concept)
- Doors hinged on the right, mounted on fulcrum pins with center reinforcement for high stability, vent slots, and stamped-in label holder
- Standard doorstop silencer
- Interior is easy to clean because compartment bottom can be swept out smoothly (Models 8030 and 8040 with cleaning openings)

- Attachable storage shelf and sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks for each compartment
- Turning bolt latch for padlock as practical basic fitting
- Locker feet (e.g. in model 8010) made of plastic = improved protection of the locker against corrosion!
- Feet in light gray with body color RAL 7035, black finish with all other body colors
- Benches with adjustable floor gliders for easy level adjustment (10 mm)







Sub-frame with base



Sub-frame with bench



Steel fronts



CVL selfventilation

#### Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)









C
C O Pr

Width	32
Height	18
Compartments	1 x
CSC	2
Order no.	801
Price	

320	
1850	
1 x 300	
2	
8010-10	

420
1850
1 x 400
3
8010-12

010	
1850	
2 x 300	
4	
8010-20	

610

810	
1850	
2 x 400	
5 <b>8010-22</b>	

#### Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)





**Dimensions and** design



Width	320
Height	1800
Compartments	1 x 300
CSC	2
Order no.	8020-10
Price	

420
1800
1 x 400
3
8020-12

610	
1800	
2 x 300	
4	

8020-20

5	
8020-22	

810

1800 2 x 400

Body and door color



Please select (see end of catalog for color overview) 487



# Lockers









C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.

Order no. 8010-20 (with feet)







900	1200	1190	1590	1480
1850	1850	1850	1850	1850
3 x 300	3 x 400	4 x 300	4 x 400	5 x 300
5	6	6	8	8
8010-30	8010-32	8010-40	8010-42	8010-50







900	1200	1190	1590	1480
1800	1800	1800	1800	1800
3 x 300	3 x 400	4 x 300	4 x 400	5 x 300
5	6	6	8	8
8020-30	8020-32	8020-40	8020-42	8020-50

Accessories

#### Lockers with bench

Bench slats for models 8030, 8040 and 8050 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic Bench slats are available at no additional charge. Standard color of the bench bases: Black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly.

Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm

# Lockers with bench in front

on feet 150 mm high with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)









-	r
II	ш

Width	320	420	610	810	900	1200
Height	1850	1850	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8030-10	8030-12	8030-20	8030-22	8030-30	8030-32
Price						



with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)











Width	320	420	610	810	900	1200
Height	1850	1850	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8040-10	8040-12	8040-20	8040-22	8040-30	8040-32
Price						

# Lockers with bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)







Dimensions and design



Width	320	420	610	810	900	1200
Height	2090	2090	2090	2090	2090	2090
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8050-10	8050-12	8050-20	8050-22	8050-30	8050-32
<b>.</b> .						



Shoe rack

for models 8030, 8050....... 49

Bench slats made of plastic

Light gray

Blue gray

Black gray

+ Order no. + Addtl. charge + 8000-7035

+ 8000-7031

+ 8000-7021





1190	1590
1850	1850
4 x 300	4 x 400
6	8

8030-42

8030-40

1480 1850 5 x 300 8 8030-50





1190	1590
1850	1850
4 x 300	4 x 400

6 8040-40 8040-42

1480 1850 5 x 300

8

8040-50





1190	1590
2090	2090
4 x 300	4 x 400
6	8
8050-40	8050-42

1480 2090 5 x 300 8 8050-50







Order no. 8040-40



Order no. 8050-40

- + 8000-7035 (plastic bench slats light gray) + 4 x 8050-7010 (shoe rack, addtl. charge)



# S 2000 CLASSIC

#### Lockers with pairs of doors closing in the middle

for joint lock of two compartments to be used by one person, for example for storing street clothes and work clothing. Bench slats for models 8032, 8042 and 8052 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: Black gray RAL 7021.

Locker and bench are delivered separately for easy DIY assembly. For general description of the lockers see page 30.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm



+ 8001-303 (doors smooth)

#### Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 mm (H x W x D)





#### **Dimensions and** design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8012-20	8012-22	8012-40	8012-42
Price				



# Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 mm (H x W x D)





#### **Dimensions and** design

Width	610	810	1190	1590
Height	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8022-20	8022-22	8022-40	8022-42
Price				





Bench slats made of plastic

Light gray

Blue gray

Black gray

+ Order no.

+ Addtl. charge

+ 8000-7035

+ 8000-7031

+ 8000-7021

### Lockers with bench in front

on feet 150 mm high, with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)





**Dimensions and** design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8032-20	8032-22	8032-40	8032-42



### Lockers with lowered bench underframe

with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)





**Dimensions and** design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8042-20	8042-22	8042-40	8042-42
Price				



# **Lockers with** bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)





**Dimensions and** design

Width	610	810	1190	1590
Height	2090	2090	2090	2090
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8052-20	8052-22	8052-40	8052-42
Price				



Accessories 



#### Lockers

#### with one door over two compartments

to be used by one person, for example for storing street clothes and work clothing. Bench slats for models 8250 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: Black gray RAL 7021.

Locker and bench are delivered separately for easy DIY assembly. For general description of the lockers see page 30.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm





Price



#### Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230 x 465 mm (H x W x D)





#### **Dimensions and** design

Width	610
Height	1850
Compartments	2 x 300
for no. of persons	1
CSC	4
Order no.	8210-20

1190	
1850	
4 x 300	
2	
6	
8210-40	

Body and	door color	





Ordering steps:

1. Dimensions and design

2. Body / door color

Options

#### Lockers with base


on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230 x 465 mm (H x W x D)





1. Dimensions and design

Width	610
Height	1800
Compartments	2 x 300
for no. of persons	1
CSC	4
Order no.	8220-20





# Lockers with bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230 x 465 (H x W x D)



8250-20



1. Dimensions and design

Width	610
Height	2090
Compartments	2 x 300
for no. of persons	1
CSC	4

1190
2090
4 x 300
2
6
8250-40



CJC	
Order no.	
Price	

#	Bench slats made of plastic	Light gray	Blue gray	Black gray
	+ Order no. + Addtl charge	+ 8000-7035	+ 8000-7031	+ 8000-7021







Order no. 8250-40



# S 2000 CLASSIC

#### Laundry lockers and cleaning cabinets

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not height adjustable. For general description of the lockers see page 30.



Doors smooth

for all S 2000 Classic locker models without louvers, without label holder, very easy to clean



Design + Order no.

smooth + 8001-303

+ Addtl. charge

Order no. 8160-20, 8120-00, 8222-20B

#### Lockers with feet

on feet 150 mm high, depth 500 mm





**Dimensions and** design

Width	610	810
Height	1850	1850
Compartments	2 x 300	2 x 400
Description	Laundry lockers	

Laundry lockers 4 shelves on the left, storage shelf on the right with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks

610 810 1850 1850 2 x 300 2 x 400 Cleaning equipment cabinet

4 compartments to the left of the shortened partition, sturdy rod made of oval profile on the right with 6 twist-proof sliding hooks



CSC Order no. Price

4 8060-20

5 8060-22

4 8110-00

5 8110-02

#### Lockers with base

on base 100 mm high, depth 1850 mm





**Dimensions and** design

Width	610	810	610	810
Height	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	2 x 300	2 x 400
Description	see above		see a	bove



	Description	see above		see above	
1	CSC	4	5	4	5
l	Order no.	8160-20	8160-22	8120-00	8120-02
l	Price				

Body and door color

# Multi-purpose lockers

#### Laundry and storage lockers

Doors with turning bolt latch, shelves not height adjustable. For general description of the lockers see page 30.









### Lockers with feet

on feet 150 mm high, depth 500 mm





Compartments 2 x 300 2 x 400 Description with individually lockable doors (both hinged

right)

1850



810 610 1850 1850 2 x 300 2 x 400

> with doors closing in the middle (joint lock)



610 1850 1 x 600

with doors closing in the middle, without partition, 4 full-width shelves (2-bolt latch)



CSC Order no. Price

Height

4 8010-20B

5 8010-22B

810

1850

4 8012-20B

5 8012-22B

8212-20B



on base 100 mm high, depth 1850 mm







Width	610	810
Height	1800	1800
Compartments	2 x 300	2 x 400
Description	see al	oove

CSC	
Order no.	
Price	



610	810
1800	1800
2 x 300	2 x 400
500	hove

8020-20B 8020-22B



610	810		
1800	1800		
2 x 300	2 x 400		
see above			

5 4 8022-20B 8022-22B



610
1800
1 x 600
see above

4

8222-20B



### **Double-tier** lockers with turning bolt latch

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors at the top and bottom with easy-to-clean ventilation hole pattern, stamped-in label holder, and turning bolt latch for padlock.

For general description of the lockers see page 30.





Order no. 8320-30

#### Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)







#### **Dimensions and** design

P	

Width	610	810	900	1200	1190	1590
Height	1850	1850	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300	4 x 400
CSC	4	5	5	6	6	8
Order no.	8310-20	8310-22	8310-30	8310-32	8310-40	8310-42
Price						

#### Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)







Dimensions and design



Width	610	810	900	1200	1190	1590
Height	1800	1800	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300	4 x 400
CSC	4	5	5	6	6	8
Order no.	8320-20	8320-22	8320-30	8320-32	8320-40	8320-42
Price						

Body and door color

Please select (see end of catalog for color overview) 487

# Double tier lockers




### Lockers with bench underneath

bench height 420 mm, bench depth 315 mm, locker depth 500/815 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)



Dimensions and design

100	







Black gray



2090

2 x 400

5

900 2090 3 x 300

5 6 8350-30 8350-32

1200

2090

3 x 400



1190	1590
2090	2090
4 x 300	4 x 400
6	8
8350-40	8350-42



+ 8000-7035 + 8000-7031 + 8000-7021

+ Addtl. charge

Accessories Additional fittings, locks ...... 48 - 51

Shoe rack 



#### Box lockers with steel doors

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets. Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body.

For general description of the lockers see page 30.

#### Attention: 3-bolt latch

(from page 50) not possible in all models. For publicly accessible lockers, we recommend door opening limiters, see page 47.

# Lockers with

#### 3 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 510 x 230/330 x 465 mm (H x W x D)





**Dimensions and** design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010-103	8010-123	8010-203	8010-223
Price				

# Lockers with

#### 4 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 375 x 230/330 x 465 mm (H x W x D)





**Dimensions and** design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010-104	8010-124	8010-204	8010-224
Price				

# Lockers with

#### 5 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 295 x 230/330 x 465 mm (H x W x D)





**Dimensions and** design

|--|--|

Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	8010-105	8010-125	8010-205	8010-225
Price				


Body and door color

Base

instead of feet, design in body color, 100 mm base height, locker height 1800 mm



Width	320	420	610	810	900	1200	1190
+ Order no.	8020	8020	8020	8020	8020	8020	8020
+ Addtl. charge							









900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010-303	8010-323	8010-403






900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010-304	8010-324	8010-404









1.

900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
7	8	8
8010-305	8010-325	8010-405



Order no. 8020-305



#### Box lockers with steel doors and viewing windows made of acrylic glass

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49). Acrylic glass 3 mm thick, permanently

Compartment width of 400 mm also suitable for motorcycle helmets. Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body.

Price

For general description of the lockers see page 30.

#### Attention: 3-bolt latch

(from page 50) not possible in all models. For publicly accessible lockers, we recommend door opening limiters, see page 47.

### Lockers with

#### 3 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 510 x 230/330 x 465 mm (H x W x D)







Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010A103	8010A123	8010A203	8010A223

## Lockers with

#### 4 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 375 x 230/330 x 465 mm (H x W x D)





**Dimensions and** design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010A104	8010A124	8010A204	8010A224
Price				

#### Lockers with

#### 5 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 295 x 230/330 x 465 mm (H x W x D)





**Dimensions and** design

4	
١	
١	

Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	8010A105	8010A125	8010A205	8010A225
Prico				

Body and door color

# Box lockers with viewing windows

Base instead of feet, design in body color, 100 mm base height, locker height 1800 mm




Width	320	420	610	810	900	1200	1190
+ Order no.	8020A						
+ Addtl. charge							














900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010A304	8010A324	8010A404



Ψ		Ψ
900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
7	8	8
8010A305	8010A325	8010A405



Order no. 8020A404





# Top lockers

#### **Top lockers**

The practical and space-saving solution for increased space requirements. Doors single-walled smooth, without ventilation hole pattern and without label holder (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets.

Doors with turning bolt latches.



(top locker)

(top locker)

### **Top lockers**

depth 500 mm. Clear opening dimensions per door: 430 x 230/330 x 465 (H x W x D)









Width	320	420	610	810	900	1200
Height	500	500	500	500	500	500
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	1	1	2	2	3	3
Order no.	8090-10	8090-12	8090-20	8090-22	8090-30	8090-32
Prico						

### Top lockers with doors closing in the middle

for joint lock of 2 compartments, depth 500 mm. Clear opening dimensions per door: 430 x 230/330 x 465 mm (H x W x D)







Width	610	810	1190	1590
Height	500	500	500	500
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
CSC	2	2	4	4
Order no.	8092-20	8092-22	8092-40	8092-42
Price				

Body and door color







1480

500

5 x 300

4

8090-50



500         500           4 x 300         4 x 400           4         4	1190	1590
4 4		
7 7	4 x 300	4 x 400
0000 40	1	1
8090-40 8090-42	8090-40	4 8090-42





Design	90°
+ Order no.	+ 8505-02
+ Addtl. charge	

### Without door opening limiter



- + For specifically assigned compartments
- + More freedom of movement for users
- Forceful over-extension of the door by opening it too far is possible
- Damage to usable space of adjacent locker is possible

### With door opening limiter 90°



- + Recommended if lockers are frequently used by different persons
- + Prevents forceful over-extension of the door by opening it too far
- + No overlap with usable space of adjacent locker
- Less freedom of movement for users

#### The S 2000 Classic accessory range offers:

The difference lies in the details! C+P offers a multitude of practical additional fittings and upgrading components. For you this means:

- All requirements can be met for a customized result
- Lockers "made-to-measure" for the specific location
- All parts can be ordered separately (no additional charge packages, you only pay for what you need!)
- Many parts can also be retrofitted
- Excellent price-performance ratio thanks to C+P modular system

Order no. 8050-40 with additional fittings:

- 1 x 8000-7035 (plastic bench slats),
- 4 x 0008-70 (cylinder locks), 4 x 8001-323 (perforated panel doors),
- 1 x 8504-40 (slope top),
- 4 x 8502-06 (number plates) and
- 4 x 8000-21 (electrolytically zinc-plated design)

### **Bench slats** made of plastic



Blue gray 8000-7031

electrolytically galvanized, enamel coated,

compartment widths 300 and 400 mm,

additional charge per compartment width

Black gray 8000-7021 **Additional** fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers



Order no. Price

4500-707

### Wet room design\*

see also page 24

for lockers with Order no. + Addtl. charge

feet or base 8000-20.

bench 8000-21.


### Slanted roof designs

Depth 500 mm

Locker with integrated slope\*

Locker approx. 200 mm higher in the back, additional charge per compartment

Slope top approx. 230 mm higher in the back for retroactive fitting



Compartment width

for number of compartments

Locker with integrated slope\* Nothing can be forgotten on



top of the locker 300/400

8000-38




8504-10/12

Slope top

	prevents objections being left on	cts from
300/400	300/400	300/40

8504-20/22





300/400 300 4 5 2 2 8504-30/32 8504-40/42 8504-50

#### **Partitions**

+ Addtl. charge

CSC

Order no.

below the storage shelf, additional charge per compartment





1000 x 460 0080-00

made of steel in fixed design, cannot be retrofitted



1280 x 420 0090-00

made of translucent plastic, movable and swivel design, low-maintenance



1210 x 300 4500-705

made of blue linen material movable and swivel design, with several pockets



1170 x 450 4500-706

#### Ventilation hole pattern\*

stamped in the rear wall, additional charge per compartment



Order no. + Addtl. charge

Ventilation hole pattern in the compartment rear panel at the top and bottom



8500-171

4 ventilation hole patterns in the compartment rear panel



8500-174

#### **Shoe rack**

Additional charge per compart-. ment



300 8050-7010

400 8052-7010

Order no. + Addtl. charge

for models with bench in front\*

for models with

bench built underneath

#### **Lockers without** feet Price reduction

per locker

Order no.

+ Addtl. charge

approx. 1700 mm high

8055-00

#### **Doors without** label holder

Additional charge per door

Order no.

+ Addtl. charge

for all lockers from the S 2000 Classic series

8001-306

\* cannot be

retrofitted

Order no + Addtl. charge



8030-701

8032-701

### **Additional** fittings

#### Additional shelf

not height adjustable (installation height approx. 250 mm) cannot be retrofitted



300 8000-80

400 8002-80

#### Security compartment inside\*

(instead of the storage compartment) with cylinder lock, not possible for order no. 8000-38



300/400 8053-00

#### Mirror

to be mounted by the customer, approx. 110 x 90 mm, price per door



0019-00

#### Standard coat hanger

Hardwood varnished in black (with special mounting)



8000-061

### **Additional** fittings

Order no.

Price

Compartment width

#### Wall mount

with additional support bracket, price per compartment

#### Label holder

made of plastic, self-adhesive

#### Paper labels

for stamped label frames (1 packing unit = 100 pieces) Height adjustment screws for locker feet (1 set = 4)

pcs.) for easy retrofitting of a 10 mm level adjustment in all S 2000 Classic lockers with feet



8000-34



8500-15



8501-07



8000-26

### Door designs

Order no.

Price

Prices per door

#### Doors smooth

without louvers, without label holders (ensure alternative ventilation e.g. using the ventilation hole pattern!)



8001-303

#### Stamped-in ventilation hole pattern\*

Ventilation hole pattern in the door at the top and bottom, incl. label holder



8500-173

# Door with perforated panel for models 8010-8090,

compartment width 300/400 mm (square perforations approx. 23 mm with bars approx. 5 mm), 3-bolt latch recommended



8001-323

### Door opening limiter 90°

for user instructions see page 47



8505-02

Order no. Price









# Accessories for lockers

#### Turning bolt latch and cylinder locks not for assembled box lockers



#### Keys, locks, and wristband for cylinder locks



Locking no. according to customer requirements

Additional charge per lock

Order no. ....-..99

+ Addtl. charge

#### 1) 51 black 56 gray 52 white 61 green 53 red 67 yellow 55 blue

# Additional accessories for all lockers

Number plate for door lock

suitable as door protection and for holding the 4400-744 model number plate. Only possible with cylinder locks – models 0008-70, 0008-700, 0010-10, 0010-010 for easy DIY attachment above the key plate (please specify desired 3-digit numbering!), to be used only in conjunction with key plate, not suitable for coin-operated deposit locks



SAFE-O-MAT locks ...... 107 + 165



Design Order no. Price



plastic **4400-742** 



plastic **4400-744** 




# Accessories for assembled box lockers

#### Turning bolt latch and cylinder locks only for assembled box lockers

Prices **Basic** Optional per lock design Cylinder Cylinder lock in black Lock in moisture-proof design Turning bolt with 2 keys cylinder lock in black lock latch up to 6000 up to 1000 up to 1000 via master via master via master via master for different key different key different key system kev system kev system padlock key system key numbers with security without numbers with without numbers certificate\* security security security certificate\* certificate\* certificate\* Order no. 0008-700 0010-010 0008-70 0010-10 0008-72 0010-12 0010-012 0002-00 Unit price + Addtl. charge Standard

#### Keys and wristband for cylinder locks



# Additional accessories for all lockers

1) 51 black 56 gray 52 white 61 green 53 red 67 yellow 55 blue

### Number plates

Please specify numbering

#### **Number plate** in lock area, self-adhesive, 79 x 45 x 1,0 mm, only suitable for cylinder

lock, separate, for easy DIY assembly

Stainless steel number plate self-adhesive, 30 x 50 x 1.0 mm

Plastic key ring with S-hook, Ø 30 mm









Design Order no. Price

plastic 8502-0611 stainless steel 8501-0611

stainless steel 8501-06

black white 8502-0851 8502-0852 aluminum coating 8502-0862

**Padlocks** 

for turning bolt latches, bolt size approx. 6 mm

Order no.

Price

Brass design, 2 keys, up to 300 different key numbers



0002-10

Brand lock in brass design with precision cylinder, 2 keys, up to 168,000 different key numbers



0002-11

High-gloss chrome-plated with number combination, without keys



0002-12



Order no. 0002-11



Order no. 0002-12

