

Can do more than others: S 6000 CAMBIO

C+P Cambio is more than just a locker!
The following facts are what makes this range so incomparable:

- **Innovative ventilation**
and drying by means of the SVL, FVL, or FVLD concepts
- **Optimum use of space and interior design**
thanks to corner, niche, and front end solutions
- **Underbench solutions designed to meet your needs**
for adaptation to any room situation
- **Choice of many materials and colors**
for every taste and every requirement
- **Body and steel doors electrolytically zinc-plated as a standard**
- **Vast interior space** thanks to a body height of 1850 mm plus sub-frame (feet or base)




Lockers



The C+P Cambio locker offers plenty of space for customized solutions, some of which will be shown on the following pages. The range of possibilities is endless: Locker fronts with irradiated/milled motifs, business class designs, electronic locking systems, and much more.

Let us know your ideas and send us your project-specific inquiry! In the world of changing rooms and locker systems, Cambio is the professional solution for nearly all furnishing needs.

For additional furnishing examples from a market leader, please see the Cambio product series brochures or our website at www.cp.de/cambio



The optimum: S 6000 CAMBIO



The Cambio ventilation concepts are explained in detail on pages 90-91



Decor fronts (phenolic HPL)

For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other decors on request):





Ingenious and pleasant for the highest standards.



Feet 130 mm high with protective sleeves, can be adjusted in height from inside and outside



Single- or double-walled doors with insulation:
Single-walled steel doors with closed side profiles for the highest level of stability.
Double-walled doors in sandwich construction with convenient body sound absorption.



Door opening limiter 90° standard design. New design with special heavy-duty, plastic-coated stainless steel cable.



Lockers




Lockers 92




Double-tier lockers 94



Box lockers 96





Z lockers and corner solutions 100



Stainless steel hinge:
For phenolic HPL decor doors



For integration with Cambio: all common mechanical and electronic locking systems, from turning bolt latches to coin-operated locks to electronic locking systems as part of complete building automation (see pages 106, 107, 160-165).



Cylinder lock:
with 2 keys as standard fitting.

S 6000 CAMBIO



Systemized ventilation and drying.

They all have holes and louvers. Somehow ventilation is supposed to be achieved through them. But is that enough?

In C+P Cambio, self-ventilation through the SVL concept® was tested and confirmed in scientific investigations.

Damp clothing dries much quicker in Cambio thanks to the effective flow behavior enforced by its design - guaranteed and without any additional energy input! In addition, the FVL and FVLD concepts are available for special drying tasks.

SVL concept®

Self-Ventilation concept (SVL)
= effective drying without additional ventilation equipment!

(standard)



Applications for the **SVL concept®**:

Can be used for 90% of all drying tasks! Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).



FVL concept

Forced Ventilation concept (FVL)
means elimination of odors by means of high air flow rates and improved drying thanks to connection to an on-site ventilation system.

(additional equipment)




Applications for the **FVL concept**:

Can be used wherever odors need to be eliminated while performing normal drying tasks. Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).

FVLD concept


Forced Ventilation concept with Drying (FVLD) means **effective air renewal with an electric dryer** and additional ventilation equipment!

(additional equipment)



Applications for the **FVLD concept**:

Can be used wherever a very high amount of damp clothing must be dried in a short time. Depending on moisture content clothing may take only few hours to dry.



Comparison of the concepts

Comparison of drying of conventional lockers and lockers with the SVL, FVL, and FVLD concept by C+P:

SVL = locker with SVL concept®

FVL = locker with FVL concept


FVLD = locker with FVLD concept

S 6000 CAMBIO


The S 6000 Cambio series offers more:

- Sturdy steel construction with overlay doors and high-quality enamel coating
- **54° slope on the body interior - for high stability and an easy, convenient way to remove clothing**
- **New ventilation system with the SVL concept® as standard feature (see previous page)!**
- Fronts made of steel (single-walled, optionally double-walled or insulated) or phenolic HPL (optional) with wood decor for an even more attractive appearance
- Door hinges for sheet steel doors made of aluminum/plastic
- Door hinges for phenolic HPL decor fronts made of stainless steel
- Door opening limiter 90° for outstanding closing characteristics as standard fittings
- **Body and steel doors electrolytically zinc-plated as a standard**
- Cylinder lock with 2 keys
- **Optimum air circulation due to defined ventilation spaces in front of and behind the storage shelf**
- Sturdy wardrobe rail made of oval profile, 4 twist-proof hooks with system holder, e.g. for coat hangers or movable partitions
- Wide variety of interior fitting solutions for any requirement
- **Slot-in shoe shelf, can be easily retrofitted by users**

- Height adjustment through adjustable plastic feet 130 mm high, can be easily adjusted from inside and outside
- Base height-adjustable
- Wear-resistant plastic feet ensure protection from corrosion
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request



- (A) Locker rows or individual lockers** 92
- (B) Corner lockers** 102



Sub-frame with feet Sub-frame with base Sub-frame with bench Wood decor fronts (phenolic HPL) SVL - self-ventilation Luxury fittings


Lockers S 6000 Cambio

with **SVL concept®** and drying guarantee as standard features, see page 90 and 91



(A) Lockers with full-length doors

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
1757 x 262/362 x 480 mm (H x W x D),
each compartment with storage shelf,
wardrobe rail and 4 hooks



1. Dimensions and door material	Width	300	400	600	800
	Height	1980	1980	1980	1980
Compartments		1 x 300	1 x 400	2 x 300	2 x 400
Steel doors single-walled	CSC	2	3	4	5
	Order no.	45100-10	45100-12	45100-20	45100-22
	Price				
+ Steel doors double-walled	Thickness 19 mm				
	+ Order no.	+ 45110-710	+ 45112-710	+ 45120-710	+ 45122-710
	+ Addtl. charge				
+ HPL decor doors	Thickness 13 mm				
	+ Order no.	+ 45110-730	+ 45112-730	+ 45120-730	+ 45122-730
	+ Addtl. charge				

2. **Body color** (see end of catalog for color overview)
Please choose 487


3. **Door color** (door decor for phenolic HPL design if applicable)
Please choose 487

Standard design of the steel locker doors:

- Single-walled, reinforced steel doors for a high degree of stability, Standard
- Optional: Double-walled doors in sandwich construction with body sound absorption through integrated sturdy honeycomb cardboard providing a pleasant sound behavior


Decor fronts (phenolic HPL)

For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other surfaces on request):



Order no. 45100-20

Order no. 45100-20
+ 45120-730 (phenolic HPL decor doors in Sen ash) + 4500-700 (base)



1.	900	1200	1200
	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	5	6	6
	45100-30	45100-32	45100-40

+			
	+ 45130-710	+ 45132-710	+ 45140-710

+			
	+ 45130-730	+ 45132-730	+ 45140-730

+ **Accessories**
Additional fittings, locks [103](#) - [107](#)

+ **Base**
instead of feet,
steel design,
100 mm high,
height adjustment




Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	

S 6000 CAMBIO



A Lockers with 2 tiers

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
862 x 262/362 x 480 mm (H x W x D), each
compartment with wardrobe rail and 4 hooks




1. Dimensions and door material

Steel doors single-walled



	300	400	600	800
Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	2	3	4	5
Order no.	45101-10	45101-12	45101-20	45101-22
Price				

+ Steel doors double-walled



Thickness 19 mm				
+ Order no.	+ 45210-710	+ 45212-710	+ 45220-710	+ 45222-710
+ Addtl. charge				

+ HPL decor doors



Thickness 13 mm				
+ Order no.	+ 45210-730	+ 45212-730	+ 45220-730	+ 45222-730
+ Addtl. charge				

2. Body color (see end of catalog for color overview)

Please choose 487



3. Door color (door decor for phenolic HPL design if applicable)

Please choose 487





Double-tier lockers



Order no. 45101-20
+ 45220-710 (Steel doors double-walled)



Order no. 45101-20
+ 45220-730 (phenolic HPL decor doors)



	900	1200	1200
1.	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	5	6	6
	45101-30	45101-32	45101-40
+	+ 45230-710	+ 45232-710	+ 45240-710
+	+ 45230-730	+ 45232-730	+ 45240-730

+ **Accessories**
Additional fittings, locks **103** - **107**

+ **Base**
instead of feet,
steel design,
100 mm high,
height adjustment






Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



A Lockers with 3 tiers

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
562 x 262/362 x 480 mm (H x W x D),
without interior fittings



1. Dimensions and door material





Steel doors single-walled



	300	400	600	800
Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	45102-10	45102-12	45102-20	45102-22
Price				

A Lockers with 4 tiers

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
412 x 262/362 x 480 mm (H x W x D),
without interior fittings




1. Dimensions and door material

Steel doors single-walled



	300	400	600	800
Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	45103-10	45103-12	45103-20	45103-22
Price				

+ Steel doors double-walled



Thickness 19 mm				
+ Order no.	+ 45410-710	+ 45412-710	+ 45420-710	+ 45422-710
+ Addtl. charge				

+ HPL decor doors



Thickness 13 mm				
+ Order no.	+ 45410-730	+ 45412-730	+ 45420-730	+ 45422-730
+ Addtl. charge				

2. Body color (see end of catalog for color overview)

Please choose 487

3. Door color (door decor for phenolic HPL design if applicable)

Please choose 487




+ **Base**
instead of feet,
steel design,
100 mm high,
height adjustment






Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



Order no. 45102-32
+ 4500-700 (base)



1.	900	1200	1200
	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	6	7	8
	45102-30	45102-32	45102-40



1.	900	1200	1200
	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	6	7	8
	45103-30	45103-32	45103-40

+	+ 45430-710	+ 45432-710	+ 45440-710
----------	-------------	-------------	-------------

+	+ 45430-730	+ 45432-730	+ 45440-730
----------	-------------	-------------	-------------

+ **Accessories**
Additional fittings, locks **103** - **107**



Order no. 45102-20
+ 45420-730 (phenolic HPL decor
doors in Danube maple)
+ 4500-700 (base)

S 6000 CAMBIO



+ **Base**
instead of feet,
steel design,
100 mm high,
height adjustment





Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



Order no. 45105-30

A Lockers with 5 tiers

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
322 x 262/362 x 480 mm (H x W x D),
without interior fittings



1. Dimensions and door material





Steel doors single-walled



	300	400	600	800
Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	45104-10	45104-12	45104-20	45104-22
Price				

A Lockers with 6 tiers

on feet 130 mm high, depth 525 mm.
Clear opening dimensions per door:
262 x 262/362 x 480 mm (H x W x D),
without interior fittings



1. Dimensions and door material

Steel doors single-walled



	300	400	600	800
Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	45105-10	45105-12	45105-20	45105-22
Price				

+ Steel doors double-walled



Thickness 19 mm				
+ Order no.	+ 45610-710	+ 45612-710	+ 45620-710	+ 45622-710
+ Addtl. charge				

+ HPL decor doors







Thickness 13 mm				
+ Order no.	+ 45610-730	+ 45612-730	+ 45620-730	+ 45622-730
+ Addtl. charge				

2. Body color (see end of catalog for color overview)



Please choose **487**

3. Door color (door decor for phenolic HPL design if applicable)

Please choose **487**



1.	900	1200	1200
	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	8	9	10
	45104-30	45104-32	45104-40



1.	900	1200	1200
	1980	1980	1980
	3 x 300	3 x 400	4 x 300
	8	9	10
	45105-30	45105-32	45105-40

+	+ 45630-710	+ 45632-710	+ 45640-710
----------	-------------	-------------	-------------

+	+ 45630-730	+ 45632-730	+ 45640-730
----------	-------------	-------------	-------------

+ **Accessories**
 Additional fittings, locks **103** | **107**



Z lockers offer more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- For use in areas that only offer enough space for a double-tier locker but still require long garments to be hung
- **Lots of storage space!** Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the **functional interior arrangement**
- Each compartment has a rail with 3 hooks on the side
- **All users have compartments of exactly the same size**



Vectogram on an phenolic HPL door (optional)



Order no. 45180-224

A Z lockers

on feet 130 mm high, Each compartment has a rail with 3 hooks on the side

1. Dimensions and door material

	300	400	600	800
Width	300	400	600	800
Depth	525	525	525	525
Height	1980	1980	1980	1980
Description	for 2 persons	for 2 persons	for 4 persons	for 4 persons
HPL decor doors	2	3	4	5
CSC	2	3	4	5
Order no.	45180-132	45180-122	45180-234	45180-224
Price				

A Z-Combination lockers

on feet 130 mm high, with two Z compartments each on the left and right, double-tier compartment in the middle

1. Dimensions and door material

	900	1200
Width	900	1200
Depth	525	525
Height	1980	1980
Description	for 6 persons	for 6 persons
HPL decor doors	5	6
CSC	5	6
Order no.	45181-336	45181-326
Price		






The practical, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks is very user-friendly and allows several garments to be hung at intervals.

2. Body color (see end of catalog for color overview)

Please choose 487

3. Door decor

Please choose 487



1.

900	1200	1200
525	525	525
1980	1980	1980
for 6 persons	for 6 persons	for 8 persons
5	6	6
45180-336	45180-326	45180-438




+ **Base**
instead of feet,
steel design,
100 mm high,
height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



Order no. 45181-326

+ **Accessories**
Additional fittings, locks **103** | **107**




B **Corner lockers**
on feet 130 mm high



1 **Dimensions and door material**

	500/213	500/213
Depth	500/213	500/213
Height	1980	1980
Clear opening dimensions per door (H x W x D)	1610 x 262 x 260	780 x 262 x 260
Description	with one full-length door, storage shelf and 2 turnable triple hooks	with 2 doors and 2 compartments on top of one another, 2 triple swivel hooks per compartment
Steel doors single-walled	CSC Order no. 45100-90 Price	3 45101-90



Thickness 19 mm		
+ Order no.	+ 45110-710	+ 45210-710
+ Addtl. charge		



Thickness 13 mm		
+ Order no.	+ 45110-730	+ 45210-730
+ Addtl. charge		



2 **Body color** (see end of catalog for color overview)

Please choose **487**

3 **Door color** (door decor for phenolic HPL design if applicable)

Please choose **487**

+ **Accessories**

Additional fittings, locks **103** - **107**

+ **Base**
instead of feet, steel design, 100 mm high, height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	




Design variants and accessories



C Slope tops



without locker: rear approx. 230 mm high (= nothing can be left on top of the locker)




for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
+ Order no.	+ 4531-70	+ 4541-70	+ 4532-70	+ 4542-70	+ 4533-70	+ 4543-70	+ 4534-70
+ Addtl. charge							

Slope tops

for corner on existing corner locker



Design	Interior corner	Exterior corner
for compartments	1 x 300	1 x 300
+ Order no.	+ 4591-70	+ 4590-70
+ Addtl. charge		



Pairs of doors closing in the middle*

Doors with joint lock, price per pair

for series	45100-20	45100-22
Locker width	600	800
+ Order no.	+ 45107-20	+ 45107-22
+ Addtl. charge		

Base planking panel

Black gray plastic, 100 mm high, with bottom sealing lip, self-adhesive

per running meter	
+ Order no.	+ 4400-7002
+ Addtl. charge	



Experience this space-saving miracle.

Make optimal use of your C+P changing room and locker furniture.

That's no problem with C+P's well thought out locker accessories. The versatile interior fitting solutions ensure that all the space is used. You'll be amazed at all the extras that fit into your C+P steel locker.

Additional fittings in the locker

Shoe tray
made of plastic, removable, with bottom spacers



Order no. **4500-707**

Price

Coat hanger with laundry net
the classic option for pools, spas, and similar facilities



Order no. **8501-04251**

Coat hanger with multi-function hooks
As an alternative to the net, for example for areas with special hygiene requirements



Order no. **8501-04**

Towel hanger
movable, for easier drying of large towels




Order no. **4500-760**

Additional fittings in the housing

Slot-in shoe shelf

installation height approx. 250 mm, can be easily retro-fitted by users



Design for compartment width	Steel, black gray coating		Stainless steel	
	300	400	300	400
Order no.	4500-765	4500-766	4500-765E	4500-766E
Price				

Partitions below the storage shelf

made of translucent plastic, movable and swivel design, low-maintenance




Partition H x W	1210 x 300
Order no.	4500-705
Price	

made of blue linen material, movable and swivel design, with several pockets




Partition H x W	1170 x 450
Order no.	4500-706
Price	

Labeling systems 132



Locker connectors for side

(1 set for 2 lockers), for linking 2 lockers



Order no.	4500-715
Price	

Shield panel exterior,

addtl. charge per compartment, for compartment rear panel with back-to-back configuration

Compartment width	300	400
Order no.	4500-10	4500-11
Addtl. charge		



Equipment solutions for the locker door

The easy way to keep things neat!

Use the door insides of your C+P changing room and locker furniture as an extra storage area.


Your benefits

- More space inside
- Accessories easy to reach
- Neat storage of even small items
- User-friendly handling
- Suitable for a variety of door materials, please inquire



Additional fittings

Towel holder for steel and decor doors hinged on the right



for compartment width

300

Design for **steel** doors

singled-walled

double-walled

Order no.

4500-775

4500-770R

Price

Design for **decor** doors


phenolic HPL doors

Order no.

4500-7703R

Price

Towel and shower gel holder for steel and decor doors hinged on the right



400

singled-walled

double-walled


4500-776

4500-771R

phenolic HPL doors

4500-7713R

Flip-flop and shoe holder for steel and decor doors hinged on the right



300

singled-walled

400

singled-walled

300/400

double-walled

4500-777

4500-778

4500-773R

phenolic HPL doors

4500-773

Mirror

for steel and decor doors, to be mounted by the customer



Width x Height

110 x 90 mm

180 x 300 mm

for compartment width

300/400

300/400

Design for **steel/decor** doors

Mirror small

Mirror large

Order no.

4500-761

4500-762

Price

Locking systems
see next page



Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic set includes the cylinder lock and two keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements	for cylinder lock (longer delivery time)
Additional charge per lock	
+ Order no.	+99
+ Addtl. charge	



Safety turning bolts as standard design:
It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock:
The basic fitting for all Cambio S 6000 lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience.



SAFE-O-MAT deposit lock:
The best-selling classic among coin-operated locks. Available with a traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock:
The alternative for the basic function of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate:
Instead of the sign, silver, please specify numbering (order no. 8501-430).



Coin-operated lock:
As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.



Ticket-operated lock:
The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please inquire with respect to your specific needs.



Accessories

Perlon wristband for cylinder keys

Please indicate numbering from-to and list the desired color no.¹⁾


- ¹⁾ 51 black
- 52 white
- 53 red
- 55 blue
- 56 gray
- 61 green
- 67 yellow



Order no. **8501-05..**
Price

Number plates

Please specify numbering



with integrated door protection
120 x 38 x 1.0 mm


without integrated door protection
65 x 38 x 1.0 mm

Design	plastic	Stainless steel	plastic	Stainless steel
Order no.	4502-0601	4501-0601	4502-0611	4501-0611
Price				

Number plates

self-adhesive film

Please specify numbering from-to and color black (51), white (52), black gray (72), or white aluminum (65)







Order no. **4400-749..**
Price







Additional door protection/
number plate..... **84**

Cylinder locks

Prices per lock	Basic design		Optional				
	Cylinder lock	Cylinder lock in black with 2 keys	Lock in moisture-proof design cylinder lock in black				
							
	up to 1000 different key numbers	up to 6000 different key numbers	via master key system with security certificate*	via master key system without security certificate*	up to 1000 different key numbers	via master key system with security certificate*	via master key system without security certificate*
Order no.	4500-721	4500-723	4500-724	4500-725	4500-7212	4500-7242	4500-7252
Unit price							
+ Addtl. charge	Standard						

Keys and safety turning bolts

	Spare keys for cylinder lock		Spare key for master key system		Master key for master key system		Safety turning bolt for padlock
							
	Spare key for lock 4500-721	Spare key for lock 4500-723	with security certificate*	without security certificate*	with security certificate*	without security certificate*	see left side
Order no.	0006-21	0006-00	0010-11	0006-00	4500-726	4500-727	4500-718R
Price							

Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

each lock with 1 key

	Twin-coin deposit lock		Token-operated lock twin-coin, multi-use	Ticket/coin-operated lock
	alternatively use of 1 or 2 Euro coins	set to foreign currency**	set to 2 Euro deposit and 1 Euro cash function	-
Order no.	8500-731R	8500-44R	8501-40	on request
Addtl. charge				



Accessories for SAFE-O-MAT locks

	Promax replacement cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon
	-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal latch, security screw and key pouch (please specify desired color no. ¹ and numbering)
Order no.	8501-4101	8511-00	included	8501-430	8501-46..
Unit price					



- ¹⁾ 51 black
52 white
53 red
55 blue
56 gray
61 green
67 yellow

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165

Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

Design	Coin-operated deposit lock	Replacement exchangeable cylinder, unit price	
Order no.	8500-745	4500-741	
+ Addtl. charge			
Design	Master key	Removal key	Spare key
Order no.	8511-20	4500-740	8511-22
Unit price			



* much longer delivery time, key made of brass

** Please specify currency or send sample coin